

**15-inch 115 Voice Coil Bass Driver
SML1511587**



Specification:

Model	SML1511587
Description	15-inch 115 Voice Coil Bass Driver
Outer diameter	About 395mm
Diagonal screw hole	About 378mm
Installation aperture	About 356mm
Height	About 170mm
Magnet	Ferrite 250 magnetic
Voice Coil	115 voice coil copper clad aluminum flat wire
Drum paper	Imported Thailand GIP paper basin
Frame material	Cast aluminum frame
Rated Impedance	8 ohm
Minimum Impedance	6 ohm
Rated power	800 Watts
Maximum power	1600 Watts
Sensitivity	96 dB (1W/1m)
Frequency range	30-2K Hz
DC impedance(Re)	5.6 ohm
Resonant frequency(FS)	48Hz
Electrical Quality Factor Number(Qes)	0.37
Mechanical Quality Factor Value(Qms)	10.4
Total Quality Factor Number(Qts)	0.36
Effective Volume(Vas)	84.5 liters
Vibration Area(Sd)	889 cm ²
Magnetic Force(BI)	25.2 Txm
Effective Mobile Quality(Mms)	143g
Place of Origin	Guangzhou, China
Net Weight	15KG

15-inch 115 Voice Coil Bass Driver



Model: SML1511587

Good products should talk with data

